


LANDFILL OPERATOR TRAINING

Tipping Floor Safety

Environmental Protection Starts with Safety

An accident can divert staff time to respond to and investigate the accident and maybe recovery

Will drain company resource to replace property damage and pay higher insurance rates.



Tipping Area Safety

The tipping area or active area is where trucks are unloading and equipment is processing waste, plus 50 foot radius.

Spacing



Spacing

- ▣ 15 foot between trucks and equipment
- ▣ Drivers stay within 6 foot of Vehicle
- ▣ Stay out of dangerous spaces
 - Under raised tail gate
 - Directly behind dumping loads

Spacing



Backing

- ▣ Half of all driving in a typical tipping area is backing.
- ▣ Wait 3 seconds to shift from forward to reverse.
- ▣ No one directs traffic from rear of vehicle, unless on/in heavy equipment.
- ▣ If you don't know, get out and check it out.

Phones/Radios

- ▣ Don't use phones or Radios during backing and unloading.



Personal Protective Equipment PPE

- ▣ PPE is the last line of defense, when something goes wrong.



Heavy Equipment Rightaway

- ▣ Tell drivers that heavy equipment has the rightaway.
- ▣ Tell Equipment operators to always expect the unexpected driver.

Procedures for Special Situations

- ▣ Towing
- ▣ Digging out frozen or jammed loads
- ▣ Handling special waste
- ▣ Open/closing difficult doors/tailgates
- ▣ Repairing trucks/equipment
- ▣ Guest in tipping area

Communication

QUESTIONS?

